


Smart
Smart

HOBO®.

HOBO.

14 (356) 1/2 (12.7) x



	/	
	0 44 /	0 358 , 2
	± 0.5 / ± 3% 17 30 / ± 4% 30 44 /	± 5
	0.19 /	1.4
	0.5 /	0.5 /
		0.4
	3	0.8
	54 /	
	3 3	
	-40°C +75°C	
	2 5	
	108	305
	317 x 419 ,	12.7
	700	
	8 , 24	
*	3	
CE	(.)	
	3.0	
Smart*	3.0	
	S-WCA-M003	
	CE ,	

* HOBO 15 , Smart 100 .

/


- / , ,
- / , ,
- , .
- , .
- /
- 100 , .
- -
- .

- (M-CAA)
- (M-CAB)

1.


/

, .



/

2.



3.

$\frac{1}{4}$

1/4-20 x 1 3/4

7/16

4.

1.3

5.

6.

/

)

/

5

b)

(

)


c)

7.

(

)

8.



.34.

: , .6

/

1. /


(. .1).

2. /
,)

. 3.

(,

10 ..



3. ()

: , . 6

/

,
/ « »


-
- GPS
- :

: <http://nssdc.gsfc.nasa.gov/space/cgm/cgm.html>.

:

-
-
- (,)

1. « »
2. ,



45 – 60

4. ,
5. ,
6. $\frac{1}{2}$ (. 1).

/

GPS

:

- GPS WAAS
- ,
-

GPS

GPS

HOBOT (.)

1.

2.

3.

100

GPS

GPS

.(

6

100

12

200

).

,

4.

GPS

5.

HOBOWare

launch (.)

“Get Status”,

6.

GPS

7.

(. .1).

8.

,

.

/

HOBOT

1- -2 (S-ADAPT).

Smart.

15

/

/

/
 .
 , 360,
 11 12 - - 126 (
).
 (/ /).
 /
 .
 / Smart ,
 6 12 . (, WD-40)
 .
 .
 :
 (, Loctite®) , .
 /
 / Onset
 ,
 , Onset
 ,
 (RMA) Onset .